

SCOTT 2018 SPECIFICATION

	FOIL Premium Disc	FOIL 10 Disc	FOIL 20 Disc
NEW for MY18	Zipp 303 Disc wheels	NEW Ultegra Di2	NEW Ultegra
Frame	FOIL DISC HMX / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL DISC HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL DISC HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB
Travel			
Fork	FOIL DISC HMX 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL DISC HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL DISC HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Ultegra RD-R8050 22 Speed Electronic	Shimano Ultegra RD-R8000 22 Speed
Front Derailleur	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Ultegra FD-R8050 Eletronic Shift System	Shimano Ultegra FD-R8000
Shifters	Shimano Dura-Ace ST-R9170 Dual control 22 Speed Electronic Shift	Shimano Ultegra ST-R8070 22 Speed Electronic Shift	Shimano Ultegra ST-R8020 Carbon Dual control 22 Speed
Brakes	Shimano BR-R9170 Hyd Disc 160/F and 160/Rmm SM-RT900 CL Rotor	Shimano BR-R8070 Hyd Disc 160/F and 160/Rmm SM-RT800 CL Rotor	Shimano BR-R8070 Hyd Disc 160/F and 160/Rmm SM-RT800 CL Rotor
Crankset	Shimano Dura-Ace FC-R9100 52x36 T	Shimano Ultegra FC-R8000 52x36 T	Shimano Ultegra FC-R8000 52x36 T
BB-Set	Shimano SM-BB92-41B	Shimano SM-BB72-41B	Shimano SM-BB72-41B
Handlebar	Syncros Carbon FOIL Combo	Syncros Creston 1.5 Compact 31.8mm	Syncros Creston 1.5 Compact 31.8mm
H'stem		Syncros FOIL 1 1/4"	Syncros FOIL 1 1/4"
Seatpost	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon
Seat	Syncros RR1.0 Carbon	Syncros RR2.0	Syncros RR2.0
Wheelset	Zipp 303 NSW Disc Firecrest Carbon Clincher Tubeless Syncros Plug-in RWS	Syncros RR2.0 Disc 28 Front / 28 Rear Syncros RWS	Syncros RR2.0 Disc 28 Front / 28 Rear Syncros RWS
Chain	Shimano Dura-Ace CN-HG901-11	Shimano CN-HG701-11	Shimano CN-HG701-11
Cassette	Shimano Dura-Ace CS-R9100 11-30	Shimano Ultegra CS-R8000 11-30	Shimano Ultegra CS-R8000 11-30
Rims			
Tires	Continental Grand Prix 4000 S II 700x28C	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x28C

	Addict RC Ultimate disc	Addict RC Premium disc	Addict RC 15 disc	Addict RC 20 disc	Addict RC PRO	Addict RC 10	Addict RC 20
NEW for MY18			NEW Ultegra Di2	NEW Ultegra			NEW Ultegra
Frame	Addict Disc HMX / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict Disc HMX / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict Disc HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict Disc HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMX / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout	Addict HMF / IMP Carbon technology Road Race geometry / Replaceable Dropout
Fork	Addict HMX Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Carbon Dropout	Addict HMX Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Carbon Dropout	Addict Disc HMF 1 1/8" - 1 1/4" tapered Carbon steerer Integrated Carbon Dropout	Addict HMF Flatmount Disc 1 1/8" - 1 1/4" tapered Carbon steerer Carbon Dropout	Addict HMX 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMF 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMF 1 1/8" - 1 1/4" Carbon steerer Integrated Carbon Dropout
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Sram Red eTap 22 Speed	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Ultegra RD-R8050-SS 22 Speed Electronic		Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Dura-Ace RD-R9100 22 Speed	
Front Derailleur	Sram Red eTap 22 Speed	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Ultegra FD-R8050 Eletronic Shift System	Shimano Ultegra FD-R8000	Shimano Dura-Ace FD-R9150 Eletronic Shift System	Shimano Dura-Ace FD-R9100	Shimano Ultegra FD-R8000
Shifters	Sram Red eTap Hydro 22 Speed	Shimano Di2 ST-R9170 Disc Electronic Shift 22 Speed	Shimano Ultegra ST-R8070 22 Speed Electronic Shift	Shimano ST-R8020 DiscDual control 22 Speed	Shimano Di2 ST-R9150 Electronic Shift 22 Speed	Shimano Dura-Ace ST-R9100 Dual control 22 Speed	Shimano Ultegra ST-R8000 Carbon Dual control 22 Speed
Brakes	Sram Red22 hydro Disc 160/F and 160/Rmm	Shimano BR-R9170 Hyd Disc 160/F and 160/Rmm SM-RT900 CL Rotor	Shimano BR-R8070 Hyd Disc 160/F and 160/Rmm SM-RT800 CL Rotor	Shimano BR-R8070 Hyd Disc 160/F and 160/Rmm SM-RT800 CL Rotor	Shimano Dura-Ace BR-R9100 Super SLR Dual pivot	Shimano Dura-Ace BR-R9100 Super SLR Dual pivot	Shimano Ultegra BR-R8000 Super SLR Dual pivot
Crankset	Sram Red22 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T	Shimano Ultegra FC-R8000 Hollowtech II 52x36 T	Shimano Ultegra FC-R8000 Hollowtech II 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T	Shimano Dura-Ace FC-R9100 Hollowtech II 52x36 T	Shimano Ultegra FC-R8000 Hollowtech II 52x36 T
BB-Set	Sram PF86 GXP	Shimano SM-BB92-41B	Shimano SM-BB72-41B	Shimano SM-BB72-41B	Shimano SM-BB92-41B	Shimano SM-BB92-41B	Shimano SM-BB72-41B
Handlebar	Syncros Carbon Addict SL Combo	Syncros Creston SL Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston SL Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm
H'stem		Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR1.5 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Seatpost	Syncros Carbon FL1.0 272/350mm	Syncros Carbon FL1.0 272/350mm	Syncros Carbon FL1.0 272/350mm	Syncros Carbon FL1.0 272/350mm	Syncros Carbon FL1.0 272/350mm	Syncros Carbon FL1.0 272/350mm	Syncros Carbon FL1.0 272/350mm
Seat	Syncros RR1.0 Carbon	Syncros RR1.0 Carbon	Syncros RR2.0	Syncros RR2.0	Syncros RR1.0 Carbon	Syncros RR2.0	Syncros RR2.0
Hubs front							
Hubs rear							
Wheelset	DT Swiss PRC 1100 Dicut db Carbon clincher tubeless ready, Syncros Plug-in RWS	DT Swiss PRC 1400 Spline db Carbon clincher tubeless ready, Syncros Plug-in RWS	Syncros RP2.0 Disc 28 Front / 28 Rear Syncros RWS	Syncros RP2.0 Disc 28 Front / 28 Rear Syncros RWS	Shimano Dura Ace WH-R9100 Carbon / Alloy C24 CL 16 Front / 20 Rear	DT Swiss PR 1600 Spline, Alloy clincher, tubeless ready	Syncros RP2.0 18 Front / 24 Rear
Chain	Sram Red22 Speed	Shimano Dura-Ace CN-HG901-11	Shimano Ultegra CN-HG701-11	Shimano CN-HG601-11	Shimano Dura-Ace CN-HG901-11	Shimano Ultegra CN-HG701-11	Shimano CN-HG601-11
Cassette	Sram XG-1190 11-28T	Shimano Dura Ace CS-R9100 11-30	Shimano Ultegra CS-R8000 11-30	Shimano CS-5800 11-28	Shimano Dura Ace CS-R9100 11-30	Shimano Ultegra CS-R8000 11-30	Shimano CS-5800 11-28
Spokes							
Rims							
Tires	Continental Grand Prix 4000 S II 700x28C	Continental Grand Prix 4000 S II 700x28C	Continental Grand Sport Race Fold 700x28C	Continental Grand Sport Race Fold 700x28C	Continental Grand Prix 4000 S II 700x25C	Continental Grand Sport Race Fold 700x25C	Continental Grand Sport Race Fold 700x25C

	FOIL RC	FOIL 10	FOIL 20	FOIL 30
NEW for MY18		NEW Ultegra Di2	NEW Ultegra	
Frame	FOIL HMX / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB	FOIL HMF / IMP, F01 AERO Carbon tech. Road Race geometry Replaceable Dropout STD Seattube / INT BB
Travel				
Fork	FOIL HMX 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout	FOIL HMF 1 1/4" - 1 1/2" Carbon steerer Integrated Carbon Dropout
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano Dura-Ace RD-R9100 22 Speed	Shimano Ultegra RD-R8050 22 Speed Electronic	Shimano Ultegra RD-R8000 22 Speed	Shimano 105 RD-5800 22 Speed
Front Derailleur	Shimano Dura-Ace FD-R9100	Shimano Ultegra FD-R8050 Eletronic Shift System	Shimano Ultegra FD-R8000	Shimano 105 FD-5801
Shifters	Shimano Dura-Ace ST-R9100 Dual control 22 Speed	Shimano Ultegra ST-R8050 22 Speed Electronic Shift	Shimano Ultegra ST-R8000 Carbon Dual control 22 Speed	Shimano 105 ST-5800 Dual control 22 Speed
Brakes	Shimano Dura Ace BR-R9110 / 9110 rear Super SLR Dual pivot / Direct mount	Shimano Ultegra BR-R8010 / R8010 rear Super SLR Dual pivot / Direct mount	Shimano Ultegra BR-R8010 / R8010 rear Super SLR Dual pivot / Direct mount	Shimano 105 BR-5810 / 5810 rear Super SLR Dual pivot / Direct mount
Crankset	Shimano Dura-Ace FC-R9100 53x39 T	Shimano Ultegra FC-R8000 52x36 T	Shimano Ultegra FC-R8000 52x36 T	Shimano 105 FC-5800 52x36 T
BB-Set	Shimano SM-BB92-41B	Shimano SM-BB72-41B	Shimano SM-BB72-41B	Shimano BB-RS500-PB
Handlebar	Syncros Carbon FOIL Combo	Syncros Creston 1.5 Compact 31.8mm	Syncros Creston 1.5 Compact 31.8mm	
H'stem		Syncros FOIL 1 1/4"	Syncros FOIL 1 1/4"	Syncros FOIL 1 1/4"
Seatpost	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon	Syncros FOIL aero Carbon
Seat	Syncros RR1.0 Carbon	Syncros RR2.0	Syncros RR2.0	Syncros RR2.0
Wheelset	Zipp 30 Course, Rim-brake Clincher	Syncros RR2.0 18 Front / 24 Rear	Syncros RR2.0 18 Front / 24 Rear	Syncros RR2.0 18 Front / 24 Rear
Chain	Shimano Dura-Ace CN-HG901-11	Shimano CN-HG701-11	Shimano CN-HG701-11	Shimano CN-HG601-11
Cassette	Shimano Dura-Ace CS-R9100 11-30	Shimano Ultegra CS-R8000 11-30	Shimano Ultegra CS-R8000 11-30	Shimano 105 CS-5800 11-28
Rims				
Tires	Continental Grand Prix 4000 S II 700x25C	Continental Grand Sport Race Fold 700x25C	Continental Grand Sport Race Fold 700x25C	Continental Grand Sport Race Fold 700x25C

	Addict 10 disc	Addict 20 disc	Addict 30 disc	Addict 10	Addict 20	Addict 30
NEW for MY18	NEW Ultegra NEW frame	NEW frame	NEW frame	NEW Ultegra NEW frame	NEW frame	NEW frame
Frame	Addict Disc MF Carbon technology Endurance geometry / Replaceable Dropout	Addict Disc MF Carbon technology Endurance geometry / Replaceable Dropout	Addict Disc MF Carbon technology Endurance geometry / Replaceable Dropout	Addict MF Carbon technology Endurance geometry / Replaceable Dropout	Addict MF Carbon technolog Endurance geometry / Replaceable Dropout	Addict MF Carbon technology Endurance geometry / Replaceable Dropout
Fork	Addict Disc MF 1 1/8" - 1 1/4" Carbon steerer Alloy Dropout	Addict Disc MF 1 1/8" - 1 1/4" Carbon steerer Alloy Dropout	Addict Disc MF 1 1/8" - 1 1/4" Carbon steerer Alloy Dropout	Addict MF 1 1/8" - 1 1/4" Carbon steerer Alloy Dropout	Addict MF 1 1/8" - 1 1/4" Carbon steerer Alloy Dropout	Addict MF 1 1/8" - 1 1/4" Carbon steerer Alloy Dropout
Headset	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated	Syncros Integrated
Rear Derailleur	Shimano Ultegra RD-R8000 22 Speed	Shimano 105 Black RD-5800 22 Speed	Shimano Tiagra RD-4700 20 Speed	Shimano Ultegra RD-R8000 22 Speed	Shimano 105 Black RD-5800 22 Speed	Shimano Tiagra RD-4700 20 Speed
Front Derailleur	Shimano Ultegra FD-R8000	Shimano 105 FD-5801 Black	Shimano Tiagra FD-4700	Shimano Ultegra FD-R8000	Shimano 105 FD-5801 Black	Shimano Tiagra FD-4700
Shifters	Shimano Ultegra ST-R8020 Carbon Dual control 22 Speed	Shimano ST-RS505 Disc Dual control 22 Speed	Shimano Tiagra ST-RS405 Dual Control 20 Speed	Shimano Ultegra ST-R8000 Carbon Dual control 22 Speed	Shimano 105 Black ST-5800 Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed
Brakes	Shimano BR-R8070 Hyd Disc 160/F and 160/Rmm SM-RT800 CL Rotor	Shimano BR-RS505 Hyd Disc 160/F and 160/Rmm SM-RT70 CL Rotor	Shimano BR-RS405 Hyd Disc 160/F and 160/Rmm SM-RT64 CL Rotor	Shimano Ultegra BR-R8000 Super SLR Dual pivot	Shimano 105 BR-5800 Super SLR Dual pivot	Tektro SCBR-525 Cartridge Pads
Crankset	Shimano Ultegra FC-R8000 Hollowtech II 50x34 T	Shimano FC-5800 Compact Hyperdrive 50x34 T Black	Shimano Tiagra FC-4700 Compact Hyperdrive 50x34 T	Shimano Ultegra FC-R8000 Hollowtech II 50x34 T	Shimano FC-5800 Compact Hyperdrive 50x34 T Black	Shimano Tiagra FC-4700 Compact Hyperdrive 50x34 T
BB-Set	Shimano SM-BB72-41B	Shimano BB-RS500-PB	Shimano BB-RS500-PB	Shimano SM-BB72-41B	Shimano BB-RS500-PB	Shimano BB-RS500-PB
Handlebar	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm	Syncros Creston 2.0 Compact Alloy 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm
Seatpost	Syncros Carbon FL1.0 272/350mm	Syncros Carbon RR1.2 272/350mm	Syncros Carbon RR1.2 272/350mm	Syncros Carbon FL1.0 272/350mm	Syncros Carbon RR1.2 272/350mm	Syncros Carbon RR1.2 272/350mm
Seat	Syncros FL2.0	Syncros FL2.0	Syncros FL2.0	Syncros FL2.0	Syncros FL2.0	Syncros FL2.0
Hubs front			Formula Team Disc 28 H			Formula Race 22 24 H
Hubs rear			Formula Team Disc 28 H			Formula Race 22 28 H
Wheelset	Syncros RP2.0 Disc 28 Front / 28 Rear Syncros thru axle	Syncros RP2.0 Disc 28 Front / 28 Rear Syncros thru axle		Syncros RP2.0 18 Front / 24 Rear	Syncros RP2.0 18 Front / 24 Rear	
Chain	Shimano CN-HG601-11	Shimano CN-HG601-11	KMC X10	Shimano CN-HG601-11	Shimano CN-HG601-11	KMC X10
Cassette	Shimano CS-5800 11-Speed 11-32	Shimano 105 CS-5800 11 Speed 11-32	Shimano CS-HG500 10 Speed 11-32	Shimano CS-5800 11-Speed 11-32	Shimano 105 CS-5800 11 Speed 11-32	Shimano CS-HG500 10 Speed 11-32
Spokes			14G Stainless Black 2mm			14G Stainless Black 2mm
Rims			Syncros Race 24 Disc 28 Front / 28 Rear			Syncros Race 24V Front 24 / 28 Rear
Tires	Schwalbe Durano Fold 700x32C	Schwalbe Durano Fold 700x32C	Schwalbe Durano Fold 700x32C	Schwalbe Durano Fold 700x28C	Schwalbe Durano Fold 700x28C	Schwalbe Durano Fold 700x28C

	Speedster SE	Speedster 10	Speedster 20	Speedster 30	Speedster 40
NEW for MY18	NEW frame	NEW frame	NEW frame	NEW frame	NEW frame
Frame	Speedster / 6061 D.Buttet Alloy Endurance geometry / Integrated Headtube, int. cable routing	Speedster / 6061 D.Buttet Alloy Endurance geometry / Integrated Headtube, int. cable routing	Speedster / 6061 D.Buttet Alloy Endurance geometry / Integrated Headtube, int. cable routing	Speedster / D.Buttet 6061 Alloy Endurance geometry / Integrated Headtube, int. cable routing	Speedster / D.Buttet 6061 Alloy Endurance geometry / Integrated Headtube, int. cable routing
Fork	Speedster Carbon 1 1/8"-1/4" Carbon steerer	Speedster Carbon 1 1/8"-1/4" Carbon steerer	Speedster Carbon 1 1/8"-1/4" Carbon steerer	Speedster Carbon 1 1/8" Carbon steerer	Speedster Alloy 1 1/8" Alloy steerer
Headset	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup	Integrated Steel Cup
Rear Derailleur	Shimano Ultegra RD-R8000 22 Speed	Shimano 105 RD-5800 22 Speed	Shimano Tiagra RD-4700 20 Speed	Shimano Sora RD-R3000 18 Speed	Shimano Claris RD-R2000 16 Speed
Front Derailleur	Shimano Ultegra FD-R8000	Shimano 105 Black FD-5801	Shimano Tiagra FD-4700	Shimano Sora FD-R3000	Shimano Claris FD-R2000
Shifters	Shimano Ultegra ST-R8000 Carbon Dual control 22 Speed	Shimano 105 Black ST-5800 Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed	Shimano Sora ST-R3000 Dual control 18 Speed	Shimano Claris ST-R2000 Dual control 16 Speed
Brakes	Shimano Ultegra BR-R8000 Super SLR Dual pivot	Tektro SCBR-525 Catridge Pads	Tektro SCBR-525 Catridge Pads	Tektro SCBR-525 Catridge Pads	Tektro Comp SCBR-313 39-51mm
Crankset	Shimano Ultegra FC-R8000 Hollowtech II 50x34 T	Shimano FC-R5510 Black Hyperdrive 50x34 T	Shimano Tiagra FC-4700 Hyperdrive 50x34 T	Shimano Compact FC-R345 50x34 T	Shimano Claris FC-R5200 50x34 T
BB-Set	Shimano BB-RS500-PB	Shimano BB-RS500-PB	Shimano BB-RS500-PB	Shimano BB-ES300	Shimano BB-UN26
Handlebar	Syncros RR2.0 Comfort 31.8mm	Syncros RR2.0 Comfort 31.8mm	Syncros RR2.0 Comfort 31.8mm	Syncros RR2.0 Comfort 31.8mm	Syncros RR2.0 Comfort 31.8mm
H'stem	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	JD ST123A Alloy 1 1/8" / four Bolt 31.8mm	JD ST123A Alloy 1 1/8" / four Bolt 31.8mm	JD ST123A Alloy 1 1/8" / four Bolt 31.8mm
Seatpost	Syncros RR2.5 27.2/350mm	Syncros RR2.5 27.2/350mm	Syncros RR2.5 27.2/350mm	Syncros RR2.5 27.2/350mm	Syncros RR2.5 27.2/350mm
Seat	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5	Syncros FL2.5
Hubs front	Formula Team 24 H	Formula Team 24 H	Formula Team 24 H	Formula Comp 24 H	Formula Comp 24 H
Hubs rear	Formula Team 28 H	Formula Team 28 H	Formula Team 28 H	Formula Comp 28 H	Formula Comp 28 H
Chain	KMC X11	KMC X11	KMC X10	KMC X9	KMC X8
Cassette	Shimano CS-5800 11 Speed 11-32 T	Shimano CS-5800 11 Speed 11-32 T	Shimano CS-HG500 10 Speed 11-32 T	Shimano CS-HG400 9 Speed 11-32 T	Shimano CS-HG50 8 Speed 11-32 T
Spokes	SHA-DAR Black 2mm	SHA-DAR Black 2mm	SHA-DAR Black 2mm	SHA-DAR Black 2mm	SHA-DAR Black 2mm
Rims	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear	Syncros Race 22 24 Front / 28 Rear
Tires	Schwalbe Lugano 700x28C	Schwalbe Lugano 700x28C	Schwalbe Lugano 700x28C	Schwalbe Lugano 700x28C	Schwalbe Lugano 700x28C

	Addict CX 10 disc	Addict CX 20 disc	Speedster CX 10 disc	Speedster CX 20 disc
new for MY16	Addict CX Disc Frame and Fork	Addict CX Disc Frame and Fork	Speedster CX Disc Frame and Fork	Speedster CX Disc Frame and Fork
Frame	Addict CX HMX Disc / IMP SUPERLIGHT Carbon technology / CX Race geometry / Replaceable Dropout / STD Seattube / INT BB	Addict CX HMF Disc / IMP SUPERLIGHT Carbon technology / CX Race geometry / Replaceable Dropout / STD Seattube / INT BB	Speedster CX Disc / D.Buttet 6061 Alloy / CX geometry / Integrated Headtube	Speedster CX Disc / D.Buttet 6061 Alloy / CX geometry / Integrated Headtube
Fork	Addict HMX Disc 1 1/8" - 1/4" Carbon steerer Integrated Carbon Dropout	Addict HMF Disc 1 1/8" - 1/4" Carbon steerer Integrated Carbon Dropout	Speedster Carbon/Alloy Disc 1 1/8" Alloy steerer	Speedster Carbon/Alloy Disc 1 1/8" Alloy steerer
Headset	Integrated Cartridge	Integrated Cartridge	Integrated Cartridge	Integrated Cartridge
Rear Derailleur	SRAM Force 1 Speed Mid cage	Shimano 105 RD-5800 22 Speed	Shimano Ultegra RD-6800 22 Speed	Shimano Tiagra RD-4700 20 Speed
Front Derailleur	.	Shimano 105 FD-5800	Shimano 105 FD-5800	Shimano Tiagra FD-4700
Shifters	SRAM Force 1 Hydraulic Disc 11 Speed	Shimano ST-R5505 Disc Dual control 22 Speed	Shimano ST-R5505 Disc Dual control 22 Speed	Shimano Tiagra ST-4700 Dual control 20 Speed
Brakelever
Brakes	SRAM Force 1 Hydraulic Disc 160/F and 160/R mm Centerline Rotor	Shimano BR-R5505 Hyd Disc 160/F and 160/R mm CL Rotor	Shimano BR-R5505 Hyd Disc 160/F and 160/R mm Rotor	Shimano BR-R317 Mech. Disc 160/F and 160/R mm Rotor
Crankset	SRAM Force 1 42 T	Shimano FC-R5500 Hyperdrive 46x36 T	Shimano FC-R5500 46x36 T	Shimano FC-R460 Hyperdrive 46x34 T
BB-Set	SRAM PF86 Ceramic GXP	Shimano BB - RS500-PB	Shimano BB - RS500	Shimano BB - RS500
Handlebar	Syncros RR1.1 Carbon Anatomic 31.8mm Oversize	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Anatomic 31.8mm
H'stem	Syncros FL1.0 Carbon 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm	Syncros FL2.0 1 1/8" / four Bolt 31.8mm
Pedal				
Seatpost	Syncros Carbon FL1.0 ECL 27.2/350mm Ergooptimized Comfort Layup	Syncros Carbon RR1.2 27.2/350mm	Syncros R1.4 Carbon/AL 31.6mm	Syncros RR2.5 31.6/300mm
Seat	Syncros RR2.0	Syncros RR2.0	Syncros FL2.5	Syncros FL2.5
Hubs front	Syncros RP1.0 Disc	Syncros RP2.0 Disc	Formula Team 28 H	Formula Team 28 H
Hubs rear	Syncros RP1.0 Disc	Syncros RP2.0 Disc	Formula Team 28 H	Formula Team 28 H
Chain	SRAM PC 1170	Shimano CN-HG600	KMC X11	KMC X10
Cassette	SRAM PG 1170 11-36	Shimano 105 CS-5800 11-32 T	Shimano 105 CS-5800 11-32 T	Shimano HG 500 10 Speed 11-32 T
Spokes	Syncros RP1.0 Disc	Syncros RP2.0 Disc	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims	Syncros RP1.0 Carbon Disc Front / Rear	Syncros RP2.0 Disc Front / Rear	Syncros CX Disc 28 Front / 28 Rear	Syncros CX Disc 28 Front / 28 Rear
Tires	Schwalbe X-One Evo 700x33C	Schwalbe Rocket Ron 700x33C	Kenda Kwick 700x35C	Kenda Kwick 700x35C

	Plasma Premium	Plasma RC	Plasma 10	Plasma 20
NEW for MY18		NEW Ultegra Di2	NEW Ultegra	
Frame	Plasma 5 / IMP technology / HMX TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved	Plasma 5 / IMP technology / HMX TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved	Plasma 4 / IMP technology / HMF TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved	Plasma 4 / IMP technology / HMF TT / TRI Geometry / Plasma HMX seatpost / Replaceable hanger / UCI approved
Travel				
Fork	Plasma 5 1"-1 1/8" Carbon / integrated	Plasma 5 1"-1 1/8" Carbon / integrated	Plasma 4 1 1/8" Carbon / integrated	Plasma 4 1 1/8" Carbon / integrated
Headset	Syncros Integrated 1 - 1 1/8" drop-in headset	Syncros Integrated 1 - 1 1/8" drop-in headset	Syncros Integrated 45mm drop-in headset	Syncros Integrated 45mm drop-in headset
Rear Derailleur	Shimano Dura-Ace RD-R9150 22 Speed Electronic	Shimano Ultegra RD-R8050 22 Speed Electronic	Shimano Ultegra RD-R8000 22 Speed	Shimano 105 RD-5800 22 Speed
Front Derailleur	Shimano Dura-Ace FD-R9150 Electronic Shift System	Shimano Ultegra FD-R8050 Electronic Shift System	Shimano Ultegra FD-R8000	Shimano 105 FD-5801
Shifters	Shimano Di2 SW-R9160	Shimano Di2 SW-R9160	Shimano Dura Ace SL-BSR1 bar end	Shimano Dura Ace SL-BSR1 bar end
Brake levers	Shimano Di2 ST-R9160	Shimano Di2 ST-R8060	Profile Design 3 / one A	Profile Design 3 / one A
Brakes	Front: SCOTT KB136 Rear: Shimano Dura Ace BR-R9110R, direct mount	Front: SCOTT KB136 Rear: Shimano Ultegra BR-R8010R, direct mount	Front: Shimano Ultegra BR-R8010F Rear: Shimano Ultegra BR-R8010R, direct mount	Front: Shimano 105 BR-5810F Rear: Shimano 105 BR-5810R, direct mount
Crankset	Shimano Dura-Ace FC-R9100 53/39 T	Shimano Ultegra FC-R8000 53/39 T	Shimano Ultegra FC-R8000 53/39 T	Shimano FC-R5510 50/34T
BB-Set	Shimano SM-BB92-41B	Shimano SM-BB72-41B	Shimano SM-BB72-41B	Shimano BB-RS500-PB
Handlebar	Profile Plasma 5 Aeria, flat, 420mm	Profile Plasma 5 Aeria, flat, 420mm	Profile OZERO TT	Profile T2
Aerobar	Profile T5+Carbon	Profile T5+Carbon	Profile T2+ Carbon J5	Profile T2+
H'stem	Profile Plasma 5 TRI, 30°, 85mm	Profile Plasma 5 TRI, 30°, 85mm	Profile 1/ZeroSeven 1 1/8"-31.8mm-7°	Profile 1/ZeroSeven 1 1/8"-31.8mm-7°
Seatpost	Plasma HMX with Ritchey WCS clamp adjustable head	Plasma HMX with Ritchey WCS clamp adjustable head	Plasma HMX with Ritchey WCS clamp adjustable head	Plasma HMX with Ritchey WCS clamp adjustable head
Seat	Syncros RR1.0 TRI	Syncros RR1.5 TRI	Syncros RR2.0 TRI	Syncros RR2.0 TRI
Hub front		Formula RB 25	Formula RB 25	Formula RB 25
Hub rear		Formula RB 2611	Formula RB 2611	Formula RB 2611
Wheelset	Front: Zipp 404 firecrest Carbon clincher Rear: Zipp 808 Firecrest Carbon clincher			
Chain	Shimano Dura Ace CN-HG901-11	Shimano CN-HG701-11	Shimano CN-HG701-11	Shimano CN-HG601-11
Cassette	Shimano Dura Ace CS-R9100 11-28T	Shimano Ultegra CS-R8000 11-28T	Shimano Ultegra CS-R8000 11-28T	Shimano CS-5800 11-28T
Spokes		CN - Standard Black 2mm	CN - Standard Black 2mm	CN - Standard Black 2mm
Rims		Syncros Race 22 Aero Profile 24 Front / 28 Rear	Syncros Race 22 Aero Profile 24 Front / 28 Rear	Syncros Race 22 Aero Profile 24 Front / 28 Rear
Tires	Continental Grand Prix 4000s II 700x25C	Continental Grand Sport Race 700x25C Fold	Continental Grand Sport Race 700x25C Fold	Continental Ultra Sport 700x25C

	Scale RC 900 SL	Scale RC 900 World Cup	Scale RC 900 Pro	Scale 900 Elite
NEW for MY18	SRAM XXI Gold DT Swiss Carbon Wheelset 25mm Maxxis tires	XXI Groupset RS SID RLC SRAM Level Brakes DT Swiss Wheelset 25mm Syncros Carbon Parts Maxxis tires	X01-GX Eagle 12 Speed SRAM X1 Carbon crankset SRAM Level Brakes Syncros wheelset 25mm Maxxis tires	Scale 3 Carbon / IMP technology / MF BB92 / SW DM dropouts for Boost 12x148mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing
Frame	Scale RC Carbon / IMP technology / HMX SL 1x optimized / BB92 / SW dropouts for Boost 12x148mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing lightest frame 849g	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 12x148mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 12x148mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing	Scale 3 Carbon / IMP technology / MF BB92 / SW DM dropouts for Boost 12x148mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing
Travel	F/100mm-100mm-Lockout	F/100mm-Lockout	F/100mm-100mm-Lockout	F/100mm-Lockout
Fork	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low Speed adj. / Kabort 15x10mm axle Tapered steerer / Lockout / Reb. Adj. 100mm travel	Rock Shox SID RLC Air Charger Damper with low Speed adj. 15x10mm Maxle Stealth / Tapered steerer / 2 Modes / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Air Grip 3 / 3-Modes / 15x10mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel	Rock Shox Judy Gold RL Solo Air 15x10mm QR axle / Tapered Steerer / Reb. Adj. Lockout / 100mm travel
Remote System	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp	SCOTT RideLoc Technology / below bar remote 2 modes / integ. Grip clamp	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Sram XXI / Eagle 12 Speed	Sram XXI / Eagle 12 Speed	Sram X01 / Eagle 12 Speed	Shimano XT RD-M781-10
Front Derailleur	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide	Shimano Deore FD-M6020-10D / side swing
Shifters	Sram XXI Trigger	Sram X01 Trigger	Sram GX Trigger	Shimano Deore SL-M6000 / Rapidfire plus 2 way release
Brakes	Sram Level Ultimate Disc / tool free reach adj 180/F and 160/Rmm Centerline CLX Rotor	Sram Level TLM Disc / tool free reach adj 180/F and 160/Rmm Centerline CLX Rotor	Sram Level TL Disc / tool free reach adj 180/F and 160/Rmm Centerline Rotor	Shimano M315 Disc 180/F and 160/R mm SM-RT10 CL Rotor
Crankset	Sram XXI Eagle GXP Boost 32T	Sram XXI Eagle GXP Boost 32T	Sram X1 Carbon Eagle GXP Boost 32T	Shimano FC-MT500-10 36x26 T
BB-Set	Sram GXP PF	Sram GXP PF	Sram GXP PF	Shimano BB-MT500-PA
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.0 Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm
H'stem	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Seatpost	Syncros FL1.0 SL Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.0 Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.5 / 10mm offset 31.6 x 400mm	Syncros / 31.6x400mm
Seat	Syncros XR1.0 SL / Carbon rails	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails	Syncros XR2.5
Hub front				Formula CL811 / 15x110mm
Hub rear				Formula CL1248 / Boost 12x148mm
Wheelset	DT Swiss XRC 1200 Carbon Spline CL F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim / 28H / XD DT RWS w/Removable Lever with Tool	DT Swiss X1825 Spline CL F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim / 28H / XD DT RWS w/Removable Lever with Tool	Syncros XR2.0 6 Bolt F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim 28H / XD / DT RWS	
Chain	Sram XXI Gold Eagle	Sram X01 Eagle	Sram GX Eagle	Sram PC1110
Cassette	Sram XXI / XGI299 / Gold / 10-50 T	Sram X01 / XGI295 / 10-50 T	Sram GX / XGI275 / 10-50 T	Sram PG1130 / 11-42 T
Spokes				Stainless Black 15G / 1.8mm
Rims				Syncros X-25 / 32H
Tires	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed Syncros Eco Sealant	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed	Maxxis Ikon / 2.2 / 60TPI Kevlar Bead TR Tubeless Ready / Dual compound

	Scale 920	Scale 930	Scale 950	Scale 970	Scale 990
NEW for MY18	MF Carbon frame Fox 32 Rhythm Shimano SLX 22 Speed	Scale 3 MF Carbon frame Boost Fox 32 Rhythm SRAM NX 11 Speed	Scale Boost Frame NEW Geometry Fox 32 Rhythm	NEW Geometry SLX RD	NEW Geometry
Frame	Scale 3 Carbon / IMP technology / MF BB92 / SW DM dropouts for Boost 12x148mm SD52 advanced Shock & Standing Damping System ICCR Cable routing	Scale 3 Carbon / IMP technology / MF BB92 / SW DM dropouts for Boost 12x148mm SD52 advanced Shock & Standing Damping System ICCR Cable routing	Scale Alloy 6061 Custom Butted Tubing Boost 12x148mm / Tapered HT / BB92 Internal Cable Routing / replaceable hanger	Scale Alloy 6061 Custom Butted Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger	Scale Alloy 6061 Custom Butted Tubing Tapered HT / BB92 / Bridgeless Seatstays Internal Cable Routing / replaceable hanger
Travel	F/100mm-100mm-Lockout	F/100mm-100mm-Lockout	F/100mm-100mm-Lockout	F/100mm-Lockout	F/100mm-Lockout
Fork	FOX 32 Float Rhythm Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 100mm travel	FOX 32 Float Rhythm Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 100mm travel	FOX 32 Float Rhythm Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 100mm travel	Rock Shox 30 Silver TK Solo Air Tapered Steerer / Reb. Adj. Remote Lockout / 100mm travel	Suntour XCR RL-R / Coil Spring 1 1/8" Steerer / Reb. Adj. Remote Lockout / 100mm travel
Remote System	SCOTT RideLoc Remote Technology 3 modes / integ. clamp	SCOTT RideLoc Technology / below bar remote 3 modes / integ. Grip clamp	SCOTT RideLoc Remote Technology 3 modes	SCOTT RideLoc Remote	Suntour Remote
Headset	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Reduce 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 / 22 Speed	Sram NX1 / 11 Speed	Sram GX1 / 11 Speed	Shimano SLX RD-M7000-10 / 20 Speed	Shimano Deore RD-M610 / 20 Speed
Front Derailleur	Shimano SLX FD-M7020-11D / side swing			Shimano Deore FD-M6025-H / 34.9	Shimano Deore FD-M6025-H / 34.9
Shifters	Shimano SLX SL-M7000-11-I / Rapidfire Plus 2 way release / Ispc 2 clamp	Sram NX1 Trigger	Sram NX1 Trigger	Shimano Deore SL-M6000 / Rapidfire plus 2 way release	Shimano Deore SL-M6000 / Rapidfire plus 2 way release
Brakes	Shimano SLX M7000 Disc 180/F and 160/R mm SM-RT64 CL Rotor	Shimano M365 Disc 180/F and 160/R mm SM-RT54 CL Rotor	Shimano MT500 Disc 180/F and 160/R mm SM-RT54 CL Rotor	Shimano M365 Disc 180/F and 160/R mm SM-RT10 CL Rotor	Shimano M365 Disc 180/F and 160/R mm SM-RT10 CL Rotor
Crankset	Shimano SLX FC-M7000-11-B2 / 34x24 T	Sram NX1 GXP Boost 30T	Sram X1 1000 GXP Boost 30T	Shimano FC-MT500 36x26 T	Shimano FC-MT500 36x26 T
BB-Set	Shimano BB-MT500-PA	Sram GXP PF	Sram GXP PF	Shimano BB-MT500	Shimano BB-MT500
Handlebar	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 720mm	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 720mm
H'stem	Syncros FL2.0 6° / integrated Spacer & Top Cup 6061 Alloy / 31.8mm / 1 1/8"	Syncros FL2.0 6° / integrated Spacer & Top Cup 6061 Alloy / 31.8mm / 1 1/8"	Syncros FL2.0 6° / integrated Top Cup 6061 Alloy / 31.8mm / 1 1/8"	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Pedal			Wellgo M-21	Wellgo M-21	Wellgo M-21
Seatpost	Syncros FL2.0 / 10mm offset 31.6 x 400mm	Syncros FL2.0 / 10mm offset 31.6 x 400mm	Syncros FL2.5 / 31.6x400mm	Syncros / 31.6x400mm	Syncros / 31.6x400mm
Seat	Syncros XR2.0 / CROM rails	Syncros XR2.5	Syncros XR2.0 / CROM rails	Syncros XR2.5	Syncros XR2.5
Hub front	Shimano HB-M6010-B CL / 15x110mm	Shimano HB-M6010-B CL / 15x110mm	Shimano HB-M6010-B CL / 15x110mm	Formula CL51	Formula CL51
Hub rear	Shimano FH-M6010-B CL / Boost 12x148mm	Shimano FH-M6010-B CL / Boost 12x148mm	Shimano FH-M6010-B CL / Boost 12x148mm	Shimano FH-RM35 CL	Shimano FH-RM35 CL
Wheelset					
Chain	KMC XI1EL	Sram PC1110	Sram PC1110	KMC X10	KMC X10
Cassette	Shimano SLX CS-M7000 / 11-42 T	Sram PG1130 / 11-42 T	Sram PG1130 / 11-42 T	Shimano CS-HG50-10 / 11-36 T	Shimano CS-HG50-10 / 11-36 T
Spokes	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros X-25S / 32H / 25mm / Sleeve Joint Tubeless ready	Syncros X-25 / 32H / 25mm Tubeless ready	Syncros X-24 / 32H	Syncros X-20 / 32H	Syncros X-20 / 32H
Tires	Maxxis Ikon / 22 / 60TPI Kevlar Bead TR Tubeless Ready / Dual compound	Maxxis Ikon / 22 / 60TPI Kevlar Bead TR Tubeless Ready / Dual compound	Maxxis Ikon / 2.2 / 60TPI	Maxxis Ikon / 2.2 / 60TPI	Maxxis Ikon / 2.2 / 60TPI

	Spark RC 900 SL	Spark RC 900 World Cup	Spark RC 900 Pro	Spark RC 900 Team
NEW for MY18	SRAM XXI Gold DT Swiss Carbon Wheelset 25mm Maxxis tires	XX1 Groupset RS SID RLC SRAM Level Brakes DT Swiss Wheelset 25mm Syncros Carbon Parts Maxxis tires	X01-GX Eagle 12 Speed SRAM X1 Carbon crankset SRAM Level Brakes Syncros wheelset 25mm Syncros Carbon HB and SP Maxxis tires	NEW MODEL HMF frame GX Eagle 12 Speed SRAM Level Brakes Syncros Wheelset 25mm
Frame	Spark RC Carbon / IMP technology / HMX SL 1x optimized / BB92 / Carbon SMC Link Carbon swingarm / SW dropouts for Boost 12x148mm TBC Construction lightest frame 1799gr (w/shock)	Spark RC Carbon / IMP technology / HMX 1x optimized / BB92 / Carbon SMC Link Carbon swingarm / SW dropouts for Boost 12x148mm TBC Trunnion Box Construction	Spark RC Carbon / IMP technology / HMX 1x optimized / BB92 / Carbon swingarm SW dropouts for Boost 12x148mm TBC Trunnion Box Construction	Spark RC Carbon / IMP technology / HMF 1x optimized / BB92 / Carbon swingarm SW dropouts for Boost 12x148mm TBC Trunnion Box Construction
Travel	F/100-100-Lockout R/100-70-Lockout	F/100-Lockout R/100-70-Lockout	F/100-100-Lockout R/100-70-Lockout	F/100-100-Lockout R/100-70-Lockout
Fork	FOX 32 SC Float Factory Air / Kashima FIT4 3-Modes with low Speed adj. / Kabol: 15x110mm axle tapered steerer / Lockout / Reb. Adj. 100mm travel	Rock Shox SID RLC Air Charger Damper with low Speed adj. / 15x110mm Maxle Stealth / Tapered steerer / 2 Modes / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Elite Air FIT4 3-Modes with low Speed adj. / 15x110mm QR axle tapered steerer / Lockout / Reb. Adj. 100mm travel	FOX 32 SC Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Lockout / Reb. Adj. / 100mm travel
Rear Shock	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj./ Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj./ Travel 100 - 70 - Lockout / 165X40mm	FOX NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj./ Travel 100 - 70 - Lockout / 165X40mm
Remote System	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp
Headset	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Sram XX1 / Eagle 12 Speed	Sram XX1 / Eagle 12 Speed	Sram X01 / Eagle 12 Speed	Sram GX / Eagle 12 Speed
Front Derailleur	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide	SCOTT Chainguide
Shifters	Sram XX1 Trigger	Sram X01 Trigger	Sram GX Trigger	Sram GX Trigger
Brakes	Sram Level Ultimate Disc / tool free reach adj 180/ F and 160/Rmm Centerline CLX Rotor	Sram Level TLM Disc / tool free reach adj 180/ F and 160/Rmm Centerline CLX Rotor	Sram Level TL Disc / tool free reach adj 180/ F and 160/Rmm Centerline Rotor	Sram Level TL Disc / tool free reach adj 180/ F and 160/Rmm Centerline Rotor
Crankset	Sram XX1 Eagle GXP Boost 32T	Sram XX1 Eagle GXP Boost 32T	Sram X1 Carbon Eagle GXP Boost 32T	Sram X1 1000 Eagle GXP Boost 32T
BB-Set	Sram GXP PF	Sram GXP PF	Sram GXP PF	Sram GXP PF
Handlebar	Syncros FL1.0 SL Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.0 Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.0 Carbon T-Bar T shape flat / 9° / 720mm Syncros Pro lock-on grips	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 720mm Syncros Pro lock-on grips
H'stem	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount	Syncros XR1.5 -8° Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount
Seatpost	Syncros FL1.0 SL Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.0 Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.0 Carbon 10mm offset / 31.6 x 400mm	Syncros FL1.5 / 10mm offset 31.6 x 400mm
Seat	Syncros XR1.0 / CROM rails	Syncros XR1.5 / Titanium rails	Syncros XR1.5 / Titanium rails	Syncros XR2.0 / CROM rails
Wheelset	DT Swiss XRC 1200 Carbon Spline CL F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim / 28H / XD / 28H / XD DT RWS w/Removable Lever with Tool	DT Swiss X1825 Spline CL F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim / 28H / XD / 28H / XD DT RWS w/Removable Lever with Tool	Syncros XR2.0 6 Bolt F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim 28H / XD / DT RWS	Syncros XR2.5 6 Bolt F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim 28H / XD / DT RWS
Chain	Sram PCXX1 Gold Eagle	Sram CN GX Eagle	Sram CN GX Eagle	Sram CN GX Eagle
Cassette	Sram XX1 / XGI299 / Gold / 10-50 T	Sram X01 / XGI295 / 10-50 T	Sram GX / XGI275 / 10-50 T	Sram GX / XGI275 / 10-50 T
Rims				
Tires	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed Syncros Eco Sealant	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed

	Scale 710 PLUS	Scale 720 PLUS	Scale 730 PLUS
NEW for MY18	SRAM GX Eagle 12 Speed Deore Brakes 30mm rim	Rock Shox Judy Fork	Tapered Steerer Sram NX 11 Speed
Frame	Scale 700 Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL dropouts for 12x148mm Boost	Scale 700 Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL DM dropouts for 12x148mm Boost	Scale 700 Alloy Custom Butted Superlight Tubing / Tapered HT BB92 / 3.0" Tire clearance / Full Internal Cable Routing IDS SL DM dropouts for 12x148mm Boost
Travel	F/120mm-120mm-Lockout	F/120mm-Lockout	F/120mm-Lockout
Fork	FOX 32 Float Rhythm Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	Rock Shox Judy Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. Remote Lockout / 120mm travel	Suntour XCR RL-R / Coil Spring 15 x110mm QR axle / Tapered Steerer / Reb. Adj Remote Lockout / 120mm travel
Remote System	SCOTT RideLoc RSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT RideLoc Remote	Suntour Remote
Headset	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Sram GX / Eagle 12 Speed	Shimano XT RD-M781 / 20 Speed	Sram NX1 / 11 Speed
Front Derailleur		Shimano Deore FD-M6025-E	
Shifters	Sram GX Trigger	Shimano Deore SL-M6000 / Rapidfire plus 2 way release	Sram NX1 Trigger
Brakes	Shimano Deore M6000 Disc 180/F and 160/R mm SM-RT64 CL Rotor	Shimano M425 Disc 180/F and 160/Rmm SM-RT54 CL Rotor	Shimano M365 Disc 180/F and 160/Rmm SM-RT30 CL Rotor
Crankset	Sram X1 1000 Eagle GXP Boost 32T	Shimano FC-MT500 36x26 T	Sram NX1 GXP Boost 30T
BB-Set	Sram GXP PF	Shimano BB-MT500-B2	Sram GXP PF
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 740mm
H'stem	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 1 1/8"	Syncros 6061 Alloy oversize 31.8mm / 1 1/8" / 6° angle
Seatpost	Syncros Dropper 2.0 Remote 31.6mm / 120mm	Syncros Dropper 2.5 Remote 31.6mm / 120mm	Syncros / 31.6x400mm
Seat	Syncros XM2.0 / CROM rails	Syncros XM2.5	Syncros XM2.5
Hub front	Formula CL811 / 15x110mm	Shimano HB-M6010-B CL / 15x110mm	Formula CL811 / 15x110mm
Hub rear	Formula CL14811 / Boost 12x148mm / XD	Shimano FH-M6010-B CL / Boost 12x148mm	Formula CT1702 / 5x141mm
Wheelset			
Chain	Sram GX Eagle	KMC X10	Sram PC1110
Cassette	Sram GX / XGI275 / 10-50 T	Shimano CS-HG50-10 / 11-36 T	Sram PG1130 / 11-42 T
Spokes	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims	Syncros X-30S / 32H / 30mm / Sleeve Joint Tubeless ready	Syncros X-30S / 32H / 30mm / Sleeve Joint Tubeless ready	Syncros X-30S / 32H / 30mm / Sleeve Joint Tubeless ready
Tires	Maxxis Rekon / 2.80x27.5 / 60TPI Kevlar Bead TR Tubeless ready	Maxxis Rekon / 2.80x27.5 / 60TPI Kevlar Bead TR Tubeless ready	Maxxis Rekon / 2.80x27.5 / 60TPI Kevlar Bead TR Tubeless ready

	Big Jon
NEW for MY18	
Frame	Big Jon Alloy 6061 Custom Butted Tubing Tapered HT / BB100 / 4.8" Tire clearance 197x12mm Dropout
Travel	Rigid Alloy15x150mm QR axle
Fork	Rigid Alloy15x150mm QR axle
Headset	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano SLX RD-M7000-10 / 20 Speed
Front Derailleur	Shimano Deore FD-M618-D
Shifters	Shimano Deore SL-M610 / Rapidfire plus 2 way release / w/gear indicator
Brakes	Shimano M395 Disc 180/F and 160/Rmm SM-RT30 CL Rotor
Crankset	Race Face XRC Double 36x22 T / Chainline 74.8mm
BB-Set	Race Face BSA 100mm
Handlebar	Syncros FL2.0 mini Riser / Alloy 6061 D.B. 12mm rise / 9° / 740mm
H'stem	Syncros 6061 Alloy 31.8mm / 1 1/8" / 6° angle
Seatpost	Syncros / 31.6x400mm
Seat	Syncros XM2.5
Hub front	Syncros CT150 / 15x150mm made by Formula
Hub rear	Syncros CT197 / 12x197mm QR axle / made by Formula
Wheelset	
Chain	KMC X10-1
Cassette	Shimano CS-HG50-10 / 11-36 T
Spokes	Stainless Black 15G / 1.8mm
Rims	Syncros with CNC holes / 32H 80mm wide
Tires	Schwalbe Jumbo Jim EVO / 4.8x26 127EPI Kevlar Bead / Lite Skin PaceStar compound

	Spark RC 900 Comp	Spark 900 Ultimate	Spark 900 Premium	Spark 920
NEW for MY18	NEW MODEL Alloy frame GX Eagle 12 Speed SRAM Level brake Syncros Wheelset 25mm	SRAM XXI Gold DT Swiss Carbon Wheelset 25mm Fox Transfer DropperPost TSP TwinLoc	Shimano XT Di2 DT Swiss Wheelset 25mm	SRAM GX Eagle 12 Speed SLX Brake Fox Transfer Dropper Post Syncros Wheelset 25mm
Frame	Spark RC Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / DM hanger dropouts for 12x148mm	Spark 3 Carbon / IMP technology / HMX BB92 / Carbon SMC Link / Carbon swingarm SW dropouts for Boost 12x148mm TBC Trunnion box construction	Spark 3 Carbon / IMP technology / HMX BB92 / Carbon SMC Link / Carbon swingarm SW DM dropouts for Boost 12x148mm TBC Trunnion box construction	Spark 3 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW dropouts for Boost 12x148mm TBC Trunnion box construction
Travel	F/100-100-Lockout R/100-70-Lockout	F/120-120-Lockout R/120-85-Lockout	F/120-120-Lockout R/120-85-Lockout	F/120-120-Lockout R/120-85-Lockout
Fork	FOX 32 Float Rhythm Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 110mm travel	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low Speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low Speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel
Rear Shock	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. / Travel 120 - 85 - Lockout / 165X45mm
Remote System	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp
Headset	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros FL1.5 Drop in / Tapered 1.5" - 1 1/8" Ti bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Sram GX / Eagle 12 Speed	Sram XX1 / Eagle 12 Speed	Shimano XT Di2 RD-M8050 / 22 Speed	Sram GX / Eagle 12 Speed
Front Derailleur		SCOTT Chainguide	Shimano XT Di2 FD-M8070 with SM-M905-D Adaptor	
Shifters	Sram GX Trigger	Sram XX1 Trigger	Shimano XT Di2 SL-M8050-1 Electronic shift switch Ispc 2 clamp	Sram GX Trigger
Brakes	Sram Level TL Disc / tool free reach adj 180/ F and 160/Rmm Centerline Rotor	Sram Level Ultimate Disc / tool free reach adj 180/ F and 160/Rmm Centerline CLX Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano SLX M7000 Disc 180/F and 160/R mm SM-RT64 CL Rotor
Crankset	Sram X1 1000 Eagle GXP Boost 32T	Sram XX1 Eagle GXP Boost PF Carbon 32T	Shimano XT FC-M8000-B2 / 34x24 T	Sram X1 1000 Eagle GXP Boost 32T
BB-Set	Sram GXP PF	Sram GXP PF	Shimano SM-BB71-41A	Sram GXP PF integrated / shell 41x92mm
Handlebar	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL1.0 Carbon T-Bar T shape flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL1.0 Di2 Carbon T-Bar T shape flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm Syncros Pro lock-on grips
H'stem	Syncros XR2.0 -8° Integrated Spacer & Top Cup 6061 Alloy / 31.8mm / 6° / 1 1/8" / Garmin mount	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8" / Garmin mount	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 1 1/8" / Garmin mount	Syncros FL2.0 / Alloy 6061 integrated Spacer & Top Cup /

	Spark 930	Spark 940	Spark 960	Spark 970
NEW for MY18	SLX Brakes Syncros Wheelset 25mm	Nude EVOL SRAM GX Eagle 12 Speed Sleeve Joint rim	Rock Shox Judy Fork Syncros 2.5 Dropper Post	NEW Model Rock Shox Judy Fork X-Fusion RL shock
Frame	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / Boost 12x148mm	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / Boost 12x148mm	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 dropouts for 5x141mm	Spark 3 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 dropouts for 5x141mm
Travel	F/120-120-Lockout R/120-85-Lockout	F/120-120-Lockout R/120-85-Lockout	F/120-120-Lockout R/120-85-Lockout	F/120-Lockout R/120-Lockout
Fork	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 120mm travel	Rock Shox Judy Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. 2 Modes / Lockout / 120mm travel	Rock Shox Judy Silver RL Solo Air 15x110mm QR axle / Tapered Steerer / Reb. Adj. Lockout / 120mm travel
Rear Shock	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. / Travel 120 - 85 - Lockout / 165X45mm	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. / Travel 120 - 85 - Lockout / 165X45mm	X-Fusion NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	X-Fusion RL Trunnion Lockout / Reb. Adj. Travel 120mm / 165X45mm
Remote System	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology	
Headset	Syncros Pro Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros Comp Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000/ 22 Speed	Sram GX / Eagle 12 Speed	Shimano SLX RD-M7000-10 / 20 Speed	Shimano Deore RD-M6000 / 20 Speed
Front Derailleur	Shimano XT FD-M8020-D / side swing		Shimano Deore FD-M6020-D / / side swing	Shimano Deore FD-M6020-D / / side swing
Shifters	Shimano XT SL-M8000-B-1 / Rapidfire Plus 2 way releasespec 2 clamp	Sram GX Trigger	Shimano Deore SL-M6000-I / Rapidfire Plus 2 way release	Shimano Deore SL-M6000-I / Rapidfire Plus 2 way release
Brakes	Shimano SLX M7000 Disc 180/F and 160/R mm SM-RT64 CL Rotor	Shimano MT500 Disc 180mm F & R / SM-RT54 CL Rotor	Shimano M396 Disc 180mm F & R / SM-RT30 CL Rotor	Shimano M315 Disc 180mm F & R / SM-RT30 CL Rotor
Crankset	Shimano XT FC-M8000-B2 / 34x24 T	Sram X1 1000 Eagle GXP Boost 32T	Shimano FC-MT500-B2 36x26 T	Shimano FC-MT500-B2 36x26 T
BB-Set	Shimano BB-MT500-PA	Sram GXP PF	Shimano BB-MT500-PA	Shimano BB-MT500-PA
Handlebar	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros FL2.0 T-Bar / Alloy 6061 T shape Flat / 9° / 740mm Syncros Pro lock-on grips	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 740mm	Syncros T-Bar / Alloy 6061 T shape Flat / 9° / 740mm
H'stem	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 11/8"	Syncros FL2.0 / 6061 Alloy 6° / integrated Top Cup / 31.8mm / 11/8"	Syncros 6061 Alloy oversize 31.8mm / 11/8" / 6° angle	Syncros 6061 Alloy oversize 31.8mm / 11/8" / 6° angle
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M, L & XL 125mm	Syncros Dropper 2.0 Remote 31.6mm / S size 100mm / M, L & XL 120mm	Syncros Dropper 2.5 Remote 31.6mm / S size 100mm / M, L & XL 120mm	Syncros / 31.6x400mm
Seat	Syncros XR2.0 / CROM rails	Syncros XR2.0 / CROM rails	Syncros XR2.5	Syncros XR2.5
Hub front		Formula CL811 / 15x110mm	Formula CL811 / 15x110mm	Formula CL811 / 15x110mm
Hub rear		Formula CL14811 / Boost 12x148mm / XD	Formula CT1702 / 5x141mm	Formula CT1702 / 5x141mm
Wheelset	Syncros XR2.5 CL F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim 28H			
Chain	Shimano CN-HG601	Sram GX Eagle	KMC X10	KMC X10
Cassette	Shimano SLX CS-M7000 / 11-42 T	Sram GX / XGI275 / 10-50 T	Shimano CS-HG50-10 / 11-36 T	Shimano CS-HG50-10 / 11-36 T
Spokes		Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims		Syncros X-25 / 32H / 25mm / Sleeve Joint Tubeless ready	Syncros X-25 / 32H / 25mm Tubeless ready	Syncros X-25 / 32H / 25mm Tubeless ready
Tires	Maxxis Forekaster / 2.35 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed	Maxxis Forekaster / 2.35 / 60TPI Kevlar Bead Dual compound	Maxxis Forekaster / 2.35 / 60TPI	Maxxis Forekaster / 2.35 / 60TPI

	Spark 710 PLUS	Spark 730 PLUS	Spark 740 PLUS
NEW for MY18	Syncros Wheelset 30mm rim Syncros Trail Fender	Rock Shox Recon Fork XT RD Syncros Dropper Post 30mm rim	NEW Model SRAM NX 11 Speed Rock Shox Recon X-Fusion RL shock 30mm rim
Frame	Spark 700 Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm SW dropouts for Boost 12x148mm TBC Trunnion box construction	Spark 700 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / Boost 12x148mm	Spark 700 Alloy SL 6011 custom butted Hydroformed tubes tapered Headtube / BB92 / Boost 12x148mm
Travel	F/130-130-Lockout R/120-85-Lockout	F/130-Lockout R/120-85-Lockout	F/130-Lockout R/120-Lockout
Fork	FOX 34 Float Performance Elite Air FIT4 3-Modes with low Speed adj. / tapered steerer Reb. Adj. / Lockout / 130mm travel	Rock Shox Recon RL Solo Air 15x110mm QR axle / Tapered Steerer Reb. Adj. / 2 Modes / Lockout / 130mm travel	Rock Shox Recon RL Solo Air 15x110mm QR axle / Tapered Steerer Reb. Adj. / Lockout / 130mm travel
Rear Shock	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. / Travel 120 - 85 - Lockout / 165X45mm	X-Fusion NUDE Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend Reb. Adj. Travel 120 - 85 - Lockout / 165X45mm	X-Fusion RL Trunnion Lockout / Reb. Adj. Travel 120mm / 165X45mm
Remote System	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc Remote Technology	
Headset	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm	Syncros OE Press Fit / Tapered 1.5" - 1 1/8" OD 50/61mm / ID 44/55mm
Rear Derailleur	Shimano XT RD-M8000 / 22 Speed	Shimano XT RD-M781 / 20 Speed	Sram NX1 / 11 Speed
Front Derailleur	Shimano XT FD-M8020-D / side swing	Shimano Deore FD-M6020-D / / side swing	SCOTT Chainguide
Shifters	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Shimano Deore SL-M6000-I / Rapidfire Plus 2 way release	Sram NX1 Trigger
Brakes	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano M395 Disc 180mm F & R / SM-RT30 CL Rotor	Shimano M315 Disc 180mm F & R / SM-RT30 CL Rotor
Crankset	Shimano XT FC-M8000-B2 / 34x24 T	Shimano FC-MT500-B 36x26 T	Sram NX1 GXP Boost 30T
BB-Set	Shimano SM-BB71-41A	Shimano BB-MT500-PA	Sram GXP PF
Handlebar	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 760mm	Syncros FL2.0 mini Riser / Alloy 6061D.B. 12mm rise / 9° / 760mm
H'stem	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 11/8"	Syncros 6061 Alloy oversize 31.8mm / 11/8" / 6° angle	Syncros 6061 Alloy oversize 31.8mm / 11/8" / 6° angle
Seatpost	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M 125mm / L & XL 150mm	Syncros Dropper 2.5 / Remote 31.6mm / S size 100mm / M, L & XL 120mm	Syncros / 31.6x400mm
Seat	Syncros XM1.5 / Titanium rails	Syncros XM2.5	Syncros XM2.5
Hub front		Shimano HB-M6010-B CL / 15x110mm	Shimano HB-M6010-B CL / 15x110mm
Hub rear		Shimano FH-M6010-B CL / Boost 12x148mm	Shimano FH-M6010-B CL / Boost 12x148mm
Wheelset	Syncros TR2.0 CL F: 15x110mm, R: 12 x 148mm Boost 30mm Tubless ready rim 28H / DT RWS w/Removable Lever with Tool		
Chain	Shimano CN-HG601	KMC X10	Sram PC110
Cassette	Shimano XT CS-M8000 / 11-42 T	Shimano CS-HG50-10 / 11-36 T	Sram PG1130 / 11-42 T
Spokes		Stainless Black 15G / 1.8mm	Stainless Black 15G / 1.8mm
Rims		Syncros X-30S / 32H / 30mm / Sleeve Joint Tubeless ready	Syncros X-30S / 32H / 30mm / Sleeve Joint Tubeless ready
Tires	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed	Maxxis Rekon / 2.80 x 27.5 / 60TPI Kevlar Bead TR Tubeless ready Dual compound	Maxxis Rekon / 2.80 x 27.5 / 60TPI Kevlar Bead TR Tubeless ready Dual compound

	Genius 700 Tuned PLUS	Genius 710 PLUS	Genius 720 PLUS
NEW for MY18	Frame for 27.5" and 29" wheelsize SRAM X01 Eagle 12 Speed Syncros Hixon iC Handlebar DT Swiss Wheelset 30mm rim Syncros Trail Fender	Frame for 27.5" and 29" wheelsize Shimano XT 22 Speed Syncros Wheelset 30mm rim Syncros Trail Fender	Frame for 27.5" and 29" wheelsize SRAM GX Eagle 12 Speed SLX brakes Syncros Wheelset 30mm rim Syncros Trail Fender
Frame	Genius Carbon / IMP technology / HMX /ix optimized BB92 / Carbon SMC Link / Carbon swingarm VLK Virtual 4 Link kinematic 27.5 (2.6 & 2.8) and 29 (2.4 & 2.6) tire compatible with Geo -BB adj. SW dropouts for Boost 12x148mm TBC Trunnion box construction	Genius Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm VLK Virtual 4 Link kinematic 27.5 (2.6 & 2.8) and 29 (2.4 & 2.6) tire compatible with Geo -BB adj. SW dropouts for Boost 12x148mm TBC Trunnion box construction	Genius Carbon / IMP technology / HMF Mainframe BB92 / Alloy SL 6011 swingarm VLK Virtual 4 Link kinematic 27.5 (2.6 & 2.8) and 29 (2.4 & 2.6) tire compatible with Geo -BB adj. SW dropouts for Boost 12x148mm TBC Trunnion box construction
Travel	F/150-150-Lockout R/150-100-Lockout	F/150-150-Lockout R/150-100-Lockout	F/150-150-Lockout R/150-100-Lockout
Fork	FOX 34 Float Factory Air / Kashima FIT4 3-Modes with low Speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 150mm travel	FOX 34 Float Performance Elite Air FIT4 3-Modes with low Speed adj. / 15x110mm QR axle tapered steerer / Reb. Adj. / Lockout / 150mm travel	FOX 34 Float Performance Air Grip 3 / 3-Modes / 15x110mm QR axle / tapered steerer Reb. Adj. / Lockout / 150mm travel
Rear Shock	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Kashima / Reb. Adj. Travel 150 - 100 - Lockout / 185X55mm	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. Travel 150 - 100 - Lockout / 185X55mm	FOX NUDE EVOL Trunnion SCOTT custom w. travel / geo adj. 3 modes: Lockout - Traction Control -Descend DPS / Reb. Adj. Travel 150 - 100 - Lockout / 185X55mm
Remote System	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp	SCOTT TwinLoc Remote Technology 3 modes front and rear / integ. Grip clamp	SCOTT TwinLoc TSP Technology Suspension - Seatpost Remote below Bar / 3 modes / integ. Grip clamp
Headset	Syncros FL1.5 Press Fit E2 / Tapered 1.5" - 1 1/8" Ti bearing OD 50/62mm / ID 44/56mm	Syncros FL2.0 Press Fit E2 / Tapered 1.5" - 1 1/8" OD 50/62mm / ID 44/56mm	Syncros FL2.0 Press Fit E2 / Tapered 1.5" - 1 1/8" OD 50/62mm / ID 44/56mm
Rear Derailleur	Sram X01 / Eagle 12 Speed	Shimano XT RD-M8000 / 22 Speed	Sram GX / Eagle 12 Speed
Front Derailleur	SCOTT Chainguide	Shimano XT FD-M8020-D / side swing	SCOTT Chainguide
Shifters	Sram X01 Trigger	Shimano XT SL-M8000-I / Rapidfire Plus 2 way release / Ispec 2 clamp	Sram GX Trigger
Brakes	Sram Guide RSC Disc 180mm F & R / Centerline CLX Rotor	Shimano XT M8000 Disc 180mm F & R / SM-RT64 CL Rotor	Shimano SLX M7000 Disc 180mm F & R / SM-RT64 CL Rotor
Crankset	Sram X01 Carbon Eagle GXP Boost / 32T	Shimano XT FC-M8000-B2 34x24 T	Sram X1 1000 Eagle GXP Boost / 32T
BB-Set	Sram GXP PF	Shimano SM-BB71-41A	Sram GXP PF
Handlebar	Syncros Hixon iC SL Carbon 12mm rise / 9° / 760mm / Syncros Pro lock-on grips / Garmin mount	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips	Syncros FL1.5 mini Riser / Alloy 7050D.B. 12mm rise / 9° / 760mm Syncros Pro lock-on grips
H'stem	incl	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 11/8"	Syncros FL1.5 / Alloy 2014 integrated Spacer & Top Cup / 31.8mm / 6° / 11/8"
Seatpost	FOX Transfer Dropper Remote Kashima / 31.6mm / S size 100mm / M 125mm / L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M 125mm / L & XL 150mm	FOX Transfer Dropper Remote 31.6mm / S size 100mm / M 125mm / L & XL 150mm
Seat	Syncros XM1.5 / Titanium rails	Syncros XM1.5 / Titanium rails	Syncros XM2.0 / CRMO rails
Hub front			
Hub rear			
Wheelset	DT Swiss M1825 Spline CL F: 15x110mm, R: 12 x 148mm Boost 30mm Tubless ready rim / 28H / XD DT RWS w/Removable Lever with Tool	Syncros TR2.0 CL F: 15x110mm, R: 12 x 148mm Boost 30mm Tubless ready rim 28H / DT RWS	Syncros TR2.5 CL F: 15x110mm, R: 12 x 148mm Boost 30mm Tubless ready rim 28H / XD
Chain	Sram X01 Eagle	Shimano CN-HG601	Sram GX Eagle
Cassette	Sram X01 / XGI295 / 10-50 T	Shimano XT CS-M8000 / 11-42 T	Sram GX / XGI275 / 10-50 T
Spokes			
Rims			
Tires	Maxxis Rekon 2.80 x 27.5 120TPI Kevlar Bead / EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed	Maxxis Rekon / 2.80 x 27.5 / 120TPI Kevlar Bead EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed	Maxxis Rekon 2.80 x 27.5 120TPI Kevlar Bead / EXO / TR Tubeless ready Front: 3C Maxx Terra / Rear: 3C Maxx Speed

	Gambler 710	Gambler 720	Gambler 730
NEW for MY18	NEW Linkage design Shorter rear shock DT Swiss FR2020 Wheelset	NEW Linkage design Shorter rear shock Sram GX DH Truvativ Descendant cranksset Syncros MD30 rims SRAM Code R brakes	NEW Linkage design Shorter rear shock Syncros MD30 rims Shimano BR-M6000 disc brakes Fox Van RC
Frame	Gambler Alloy 6061 Hydroformed custom butted PF BB107 / IDS-X DH 12x150mm Dropout BB height adjustable ISCG05 / 210mm rear travel	Gambler Alloy 6061 Hydroformed custom butted PF BB107 / IDS-X DH 12x150mm Dropout BB height adjustable ISCG05 / 210mm rear travel	Gambler Alloy 6061 Hydroformed custom butted IDS-X DH 12x150mm Dropout BB height adjustable ISCG05 / 210mm rear travel
Travel	F/203mm R/210mm	F/203mm R/210mm	F/203mm R/210mm
Fork	FOX 40 RC2 Factory 27.5 203mm travel / Kashima / Air Spring Hi-Lo Comp / Rebound 20mm thru axle / Alloy steerer	FOX 40 FIT4 Performance Elite 27.5 203mm travel / Air Lo Comp / Rebound 20mm thru axle / Alloy steerer	Rock Shox Boxxer RC 27.5 200mm travel / Coil Lo Comp / Rebound Maxle Lite DH 20mm / Alloy steerer Spring rates S: soft M: medium L: firm
Rear Shock	FOX DH X2Coil Kashima Independent high/low comp. and rebound / RV5 custom tuned / 241x76mm Spring rates S: 400 / M: 450 / L: 500	FOX VAN RC Coil Low comp. / rebound Custom tuned / 241x76mm Spring rates S: 400 / M: 450 / L: 500	FOX VAN RC Coil Low comp. / rebound Custom tuned / 241x76mm Spring rates S: 400 / M: 450 / L: 500
Headset	Syncros DH adjustable Semi integrated / adj +-1° or +-2° with cup ID 49.6mm / OD 55mm	Syncros DH adjustable Semi integrated / adj +-1° or +-2° with cup ID 49.6mm / OD 55mm	Syncros DH Semi integrated / straight ID 49.6mm / OD 55mm
Rear Derailleur	Shimano Saint RD-M820 / 10 Speed	Sram GX DH / 7 Speed	Sram X5 Medium cage / 8 Speed
Front Derailleur	E.thirteen LG-1 ISCG05 / w/Taco Alloy backplate	E.thirteen LG-1 ISCG05 / w/Taco	E.thirteen LG-1 ISCG05 / w/Taco
Shifters	Shimano Zee SL-M640 Rapidfire Plus / 2 way release	Sram GX DH Trigger Shifter / 7 Speed	Sram X4 Trigger Shifter
Brake levers	Shimano Saint BL-M820-B	SRAM Code R	Shimano BL-M6000
Brakes	Shimano Saint BR-M820 Disc 4 Piston / 203mm / SM-RT76L Rotor	SRAM Code R 4 Piston / 200mm / centerline rotor	Shimano BR-M6000 Disc 203mm / SM-RT66L Rotor
Crankset	Shimano Saint FC-M825 36T Alloy chainring Hollowtech II / 165mm	Truvativ Decendant 36T Alloy chainring / 165mm	Truvativ Ruktion 10 36T chainring / 165mm
BB-Set	Shimano SM-BB71-41A Shell 104.5x41mm	Sram PF MTB104 Shell 104.5x41mm	Truvativ Howitzer TM Shell 83mm
Handlebar	Syncros DH1.5 35mm / 800mm / 20mm Rise Syncros Pro DH dual lock-on grips	Syncros DH1.5 35mm / 800mm / 20mm Rise Syncros Pro DH dual lock-on grips	Syncros DH1.5 35mm / 800mm / 20mm Rise Syncros Pro DH dual lock-on grips
H'stem	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.	Syncros DH1.5 35mm / Direct Mount 45-50mm ext.
Pedal			Wellgo B155U SCT / flat / w/replaceable pins
Seatpost	Syncros DH1.5 / 31.6mm / Alloy7050	Syncros DH2.0 / 31.6mm / Alloy6061	Syncros DH2.0 / 31.6mm / Alloy6061
Seat	Syncros XM2.0 / CrMo Rails	Syncros XM2.5 / Steel Rails	Syncros XM2.5 / Steel Rails
Hub front		Formula DHL-92 / 110x20mm thru axle	Formula DHL-92 / 110x20mm thru axle
Hub rear		Formula DHL-150 150x12mm thru axle / sealed bearings	Formula DHL-150 150x12mm thru axle / sealed bearings
Wheelset	DT swiss FR2020 / 110x20 front / 150x12 rear / 27.5 / 32H / Tubeless Ready Rims		
Chain	Shimano CN-HG54	KMC X10	KMC Z-7
Cassette	Shimano CS-HG500-10 / 11-25T DH cassette	Shimano CS-HG500-10 / 11-25T DH cassette	Sram PG-830 / 11-28 T
Spokes		DT Swiss Champion / 2.0 black	DT Swiss Industry / 2.0 black
Rims		Syncros MD30 Disc / 27.5 / 32H black / Tubeless Ready	Syncros MD30 Disc / 27.5 / 32H black / Tubeless Ready
Tires	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 Addix Ultra Soft Rear: Magic Mary 27.5x2.35 Addix Soft Supergravity	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 Addix Ultra Soft Rear: Magic Mary 27.5x2.35 Addix Soft Supergravity	Schwalbe Downhill Evolution Line Front: Magic Mary 27.5x2.35 Addix Ultra Soft Rear: Magic Mary 27.5x2.35 Addix Soft Supergravity

	Voltage YZ 0.1
NEW for MY18	X-Fusion Slant DJ fork Tektro hyd. Disc brakes
Frame	Voltage YZ DJ 6061 Alloy Hydroformed tubing Disc Dropout / horizontal for 135x10mm singleSpeed
Travel	F/100mm
Fork	X-Fusion Slant DJ 100mm travel / Air / Lo Comp / Rebound
Headset	GW IS11015Z Integ.
Rear Derailleur	SingleSpeed
Front Derailleur	
Shifters	
Brake levers	Tektro SCH-F17
Brakes	Tektro SCH-F17 Hydraulic Disc / 160mm Rotor
Crankset	SCOTT Cr-Mo 3-piece cranks 170mm / 25mm Rise Syncros Pro DH dual lock-on grips
BB-Set	Jien-Yuan BB92 / 19mm Axle
Handlebar	Syncros FR1.5 31.8mm / 780mm / 25mm Rise Syncros Pro DH dual lock-on grips
H'stem	Syncros FR1.5 31.8mm / 45mm / 0°
Pedal	Wellgo B107N flat
Seatpost	Syncros DJ1.5 / Pivotal / 31.6mm
Seat	Syncros DJ1.5 / Pivotal
Hubs Front	Formula DC-51 / 15x100mm thru axle
Hub Rear	Formula DC42-N w/tracknut / singleSpeed
Wheelset	
Chain	KMC Z510
Cassette	Sprocket / 12T
Spokes	Stainless 14G / black / 2.0mm
Rims	Syncros MD25 Disc / 32H
Tires	Schwalbe Table Top Performance 67EPI / wire / 26x2.25

	Contessa Solace 25.1	Contessa Solace 35	Contessa Speedster 15	Contessa Speedster 25
NEW for MY18				
Frame	Solace HMF / IMP Carbon technology / Road Comfort geometry /INT BB	Contessa Solace HMF IMP Carbon technology	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry / Integrated Headtube	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry / Integrated Headtube
Travel				
Fork	Solace HMF 11/8" Carbon steerer Alloy Dropout	Solace HMF 1 1/8" Carbon steerer Alloy Dropout	Speedster Carbon/1 1/8 Carbon steerer Alloy Dropout	Speedster Carbon/1 1/8 Carbon steerer Alloy Dropout
Rear Shock				
Remote System				
Headset	Ritchey PRO Int. Cartridge	Syncros Integrated	Integrated Steel Cup	Integrated Steel Cup
Rear Derailleur	Shimano 105 RD-5801 22 Speed	Shimano Tiagra Black RD-4700	Shimano 105 RD-5800 22 Speed	Shimano Tiagra RD-4700 20 Speed
Front Derailleur	Shimano 105 FD-5800	Shimano Tiagra FD-4700	Shimano 105 FD-5800	Shimano Tiagra FD-4700
Shifters	Shimano 105 ST-5800 22 Speed	Shimano Tiagra ST-4700 Dual control	Shimano 105 ST-5800 22 Speed	Shimano Tiagra ST-4700 20 Speed
Brakes	Shimano 105 BR-5700 / Tektro 741 rear Super SLR Dual pivot / direct mount rear	Shimano BR-4700/ Tektro 541 rear	Shimano BR-R561	Tektro SCBR-525 Catridge Pads
Crankset	Shimano FC-RS500 50 x 34 T	Shimano Tiagra FC-4700 Compact Hyperdrive 50x34T	Shimano FC-RS500 50 x 34 T	Shimano Tiagra FC-4700 50 x 34 T
BB-Set	Shimano BB - RS500-PB	Shimano BB-RS500-PB	Shimano BB - RS500	Shimano BB - RS500
Handlebar	Syncros RR2.0 Women 31.8mm Lady Anatomic	Syncros RR2.0 Anatomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm
H'stem	Syncros FL2.0 Women 1 1/8" - 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	Syncros RR2.0 1 1/8" / four Bolt 31.8mm	JD ST92A Alloy 1 1/8 " four Bolt 31.8mm
Seatpost	Syncros WR1.4 Woman Carbon/Alloy 27.2/300mm, w/o offset	Syncros FL2.0 10mm offset 27.2/300mm	Syncros RRI.4 Carbon/AL 31.6mm	Syncros RR2.5 31.6/300mm
Seat	Syncros Women Road Endurance	Syncros FL2.5 Women	Syncros FL2.5 Women	Syncros FL2.5 Women
Hub front		Formula Race 22 24 H	Formula Team 20 H	Formula Team 20 H
Hub rear		Formula Race 22 28 H	Formula Team 24 H	Formula Team 24 H
Wheelset	Shimano WH RS11-A			
Chain	Shimano CN-HG600	KMC X10	KMC X11	KMC X10
Cassette	Shimano 105 CS-5800 11-32 T	Shimano CS-HG500 11-32	Shimano 105 CS-5800 11-32 T	Shimano CS-HG500 10 Speed 11-32 T
Spokes		14G stainless Black 2mm	HTI - Standard Black 2mm	HTI - Standard Black 2mm
Rims		Syncros Race 22 Front 24 / 28 Rear	Syncros Race 22 Aero 24 Front / 28 Rear	Syncros Race 22 Aero 24 Front / 28 Rear
Tires	Schwalbe Durano 700 x 25C	Continental Grand Sport Race 700x25C	Kenda Kontender 700 x 25C	Kenda Kontender 700 x 25C

	Aspect 740	Aspect 750/950	Aspect 760/960	Aspect 780/980
NEW for MY18	2 colour options Wider Tires	2 colour options Wider Tires Shimano disc brakes	2 colour options Wider Tires	Wider Tires
Frame	Aspect 700 series Alloy 6061 DB / Performance geometry Internal cable routing	Aspect 700/900 series Alloy 6061 DB / Performance geometry Internal cable routing	Aspect 700/900 series Alloy 6061 / Performance geometry	Aspect 700/900 series Alloy 6061 / Performance geometry
Travel	F/100mm -Lock out	F/100mm -Lock out	F/100mm	F/100mm
Fork	Suntour XCM-HLO Hyd. Lockout / 100mm travel	Suntour XCT-HLO Hyd. Lockout / 100mm travel	Suntour XCT 100mm travel	HL Zoom 565 VB 100mm travel
Headset	Ritchey LOGIC ZERO-OE	Ritchey LOGIC ZERO-OE	Ritchey LOGIC ZERO-OE	Ritchey LOGIC ZERO-OE
Rear Derailleur	Shimano Alivio RD-M4000 27 Speed	Shimano Altus RD-M2000 24 Speed	Shimano Tourney RD-TY300 21 Speed	Shimano Tourney RD-TY300 21 Speed
Front Derailleur	Shimano FD-M3000 / 31.8mm	Shimano FD-TY700-TS6 / 31.8mm	Shimano FD-TY500-TS6 / 31.8mm	Shimano FD-TY500-TS6 / 31.8mm
Shifters	Shimano SL-M2000-9R R-fire plus	Shimano STEF 505 BR	Shimano SL-M310-7R R-fire plus	Shimano ST-EF 41 L / 7R EZ-fire plus
Brake levers	Shimano BL-M315	incl.	Tektro SCH-F17	Promax TX-107L V-brake
Brakes	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 160F/160R	Shimano BR-M315 / Hydr. Disc SM-RT10 CL Rotor / 160F/160R	Tektro SCH-F17 / Hydr. Disc 160F/160R Rotor	
Crankset	Shimano FC-M2000 40x30x22	Shimano FC-TY701 42x34x24 w/CG	Shimano FC-TY501 42x34x24 w/CG	Shimano FC-TY301 42x34x24 w/CG
BB-Set	Shimano BB-UN-26 Cartridge Type	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type	Shimano BB-UN-100 Cartridge Type
Handlebar	Syncros M3.0 / 720mm black / 31.8mm / 12mm rise / 9° BS	Syncros M3.0 / 720mm black / 31.8mm / 12mm rise / 9° BS	HL MTB-AL-312BT / 720mm / black / 12mm rise	HL MTB-AL-312BT / 720mm / black / 12mm rise
H'stem	Syncros M3.0 / 7° / Black	Syncros M3.0 / 7° / Black	TDS-C302-8FOV / 10° / 31.8 / Black	TDS-C302-8FOV / 10° / 31.8 / Black
Pedal	VP VP-536	VP VP-536	VP VP-536	Wellgo LU-895DU
Seatpost	Syncros M3.0 27.2mm / 350mm / Black	Syncros M3.0 27.2mm / 350mm / Black	HL SP C212 27.2mm / 350mm / Black	HL SP C212 27.2mm / 350mm / Black
Seat	Syncros M3.0	Syncros M3.0	Syncros M3.0	Syncros M3.0
Hub front	Shimano HB TX505	Shimano HB TX505	Formula DC-19 FQR disc	Formula FM-21 FQR
Hub rear	Shimano FH-TX5058	Shimano FH-TX5058	Formula DC-31 RQR disc	Formula FM-31 RQR
Wheelset				
Chain	KMC X9	KMC Z-7	KMC Z-50	KMC Z-50
Cassette	Shimano CS-HG200-9 / 11-34T	Shimano CS-HG31-8 / 11-32T	Shimano MF-TZ 21-7 / 14-28T	Shimano MF-TZ 21-7 / 14-28T
Spokes	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black	14 G / stainless / black
Rims	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-20 Disc 32H / black	Syncros X-18 CSW 32H / black
Tires	Kenda Slant 6 2.35 / 30TPI	Kenda Slant 6 2.35 / 30TPI	Kenda Slant 6 2.35 / 30TPI	Kenda Slant 6 2.35 / 30TPI

	Contessa Speedster 35	Contessa Speedster 45	Contessa Scale RC 900	Contessa Spark RC 900
NEW for MY18				
Frame	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry / Integrated Headtube	Contessa Speedster series D.Buttet 6061 Alloy / Road solution geometry / Integrated Headtube	Scale RC Carbon / IMP technology / HMX 1x optimized / BB92 / SW dropouts for Boost 148x12mm SDS2 advanced Shock & Standing Damping System ICCR Cable routing	Spark RC Carbon / IMP technology / HMX 1x optimized / BB92 / Carbon swingarm SW dropouts for Boost 148x12mm TBC Trunion Box Construction
Travel			F/100-Lock out	F/100-Lock out R/100-70-Lock out
Fork	Speedster Carbon/1 1/8 Carbon steerer Alloy Dropout	Speedster Alloy 1 1/8" Alloy steerer	Rock Shox SID RL Air Charger Damper with low Speed adj. 15x110mm Maxle Stealth / Tapered steerer / Lockout / Reb. Adj. 100mm travel	Rock Shox SID RLC Air Charger Damper low Speed adj. 15x110mm Maxle Stealth / Tapered steerer / Lockout / Reb. Adj. 2-Modes / 100mm travel
Rear Shock				FOX NUDE Trunion Contessa Custom Tune / geo adj. 3 modes: Lockout - Traction Control - Descend DPS / Reb. Adj. / Travel 100 - 70 - Lockout / 165x40mm
Remote System			SCOTT RideLoc Technology / below bar remote 2 modes / integ. Grip clamp	SCOTT TwinLoc Technology / below Bar Remote 3 modes / integ. Grip clamp
Headset	Integrated Steel Cup	Integrated Steel Cup	Syncros FL2.0 Drop in / Tapered 1.5" - 1 1/8" Bearing diameter size 42mm and 52mm	Syncros Pro Drop in / Tapered 1.5" - 1 1/8" bearing diameter size 42mm and 52mm
Rear Derailleur	Shimano Sora RD-3500 27 Speed	Shimano Claris RD-2400 24 Speed	Sram X01 / Eagle I2 Speed	Sram X01 / Eagle I2 Speed
Front Derailleur	Shimano FD-3503	Shimano Claris FD-2403	SCOTT Chainguide	SCOTT Chainguide
Shifters	Shimano Sora ST-3500 18/27 Speed	Shimano Claris ST-2403 24 Speed	Sram GX Trigger	Sram X01 Trigger
Brakes	Tektro SCBR-525 Catridge Pads	Tektro Comp SCBR 312 39-51mm	Sram Level TL Disc / tool free reach adj 180/F and 160/Rmm Centerline Rotor	Sram Level TL Disc / tool free reach adj 180/F and 160/Rmm Centerline Rotor
Crankset	Shimano FC-R345 50 x 34 T	Shimano Claris FC-2403 50 x 39 x 30T	Sram X1 Carbon Eagle GXP Boost PF QF 168 / 30T	Sram X1 Carbon Eagle GXP Boost PF QF 168 / 30T
BB-Set	Shimano Octalink BB - ES25	Shimano Octalink BB - ES25	Sram GXP PF integrated / shell 41x92mm	Sram GXP PF integrated / shell 41x92mm
Handlebar	Syncros RR2.0 Ergonomic 31.8mm	Syncros RR2.0 Ergonomic 31.8mm	Syncros FL1.5 T-Bar / Alloy 7050 D.B. T shape Flat / 9° / 700mm Syncros Pro lock-on grips	Syncros FL1.0 Carbon T-Bar T shape flat / 9° / 700mm Syncros Pro lock-on grips
H'stem	JD ST92A Alloy 1 1/8 " four Bolt 31.8mm	JD ST92A Alloy 1 1/8 " four Bolt 31.8mm	Syncros XR1.5 -8" Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8"	Syncros XR1.5 -8" Integrated Spacer & Top Cup 2014 Alloy / 31.8mm / 1 1/8" / Garmin mount
Seatpost	Syncros RR2.5 31.6/300mm	Syncros RR2.5 31.6/300mm	Syncros FL1.5 / 10mm offset 31.6 x 350mm	Syncros FL1.0 Carbon 10mm offset / 31.6 x 350mm
Seat	Syncros FL2.5 Women	Syncros FL2.5 Women	Syncros FL1.5 Women / Titanium rails	Syncros FL1.5 Women / Titanium rails
Hub front	Formula Comp 20 H	Formula Comp 20 H		
Hub rear	Formula Comp 24 H	Formula Comp 24 H		
Wheelset			Syncros XR2.0 6 Bolt F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim 28H / XD / DT RWS	Syncros XR1.5 CL F: 15x110mm, R: 12 x 148mm Boost 25mm Tubless ready rim 28H / XD / DT RWS w/Removable Lever with Tool
Chain	KMC X9	Shimano CN-HG40	Sram CN GX Eagle	Sram PCX01 Eagle
Cassette	Shimano CS-HG50 9 Speed 11-30 T	Shimano CS-HG50 8 Speed 11-30 T	Sram GX / XGI275 / 10-50 T	Sram X01 / XGI295 / 10-50 T
Spokes	HTI - Standard Black 2mm	HTI - Standard Black 2mm		Syncros
Rims	Syncros Race 22 Aero 24 Front / 28 Rear	Syncros Race 22 Aero 24 Front / 28 Rear		
Tires	Kenda Kontender 700 x 25C	Kenda Kontender 700 x 25C	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed	Maxxis Aspen / 2.25 / 120TPI Kevlar Bead TR Tubeless Ready / EXO / 3C maxx Speed

	Speedster JR 24	Scale JR 24	Contessa JR 24	Voltage JR 24
NEW for MY18				
Frame	Speedster24 Junior D.Buttet 6061 Alloy Tubing / FB Road geometry / Integrated headtube	Scale 24 Junior Alloy 6061 P.G. Pressed dropouts	Contessa 24 Junior Low standover height Alloy 6061 P.G.	Voltage 24 Junior Octagon tubing Alloy 6061 P.G.
Travel		F/50mm	F/50mm	F/50mm
Fork	Speedster Alloy 1 1/8" Alloy steerer Integrated	SR Suntour XCT-JR 24 50mm travel softer spring setup	SR Suntour XCT-JR 24 50mm travel softer spring setup	SR Suntour XCT-JR 24 50mm travel softer spring setup
Headset	FSA IS-3E	GW 1S110	NECO H852	NECO H852
Rear Derailleur	Shimano Sora RD-R3000 16 Speed	Shimano Tourney RD-TY300 21 Speed	Shimano Tourney RD-TY300 21 Speed	Shimano Tourney RD-TY300 21 Speed
Front Derailleur	Shimano FD-2400 Claris	Shimano FD-TY500	Shimano FD-TY500	Shimano FD-TY500
Shifters	Shimano ST-2400 Claris Dual control 16 Speed	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter
Brake levers	Tektro RL-721	LEE CHI BL-81G	LEE CHI BL-81G	LEE CHI BL-81G
Brakes	SCOTT Comp SCBR 312 39-49mm	LEE CHI MV295 C2	Promax SCB 209 P Kids specific	Promax SCB 209 P Kids specific
Crankset	Lasco Alloy road crank 46/34T Alloy, 145mm	Suntour XCC-T102PB(G) 42x34x24 / 152mm / black	Prowheel TA-CQ01 42x34x24 / 152mm / black	Prowheel TA-CQ01 42x34x24 / 152mm / black
BB-Set	VP-BC73C Square BB	NECO B906BK	NECO B906BK	NECO B906BK
Handlebar	Syncros RR2.0 S-Compact 31.8mm	Junior Flat-Bar Alloy 560mm	Junior Riserbar 560mm / 40mm Rise	Junior Riserbar 560mm / 40mm Rise
H'stem	Syncross RR2.5 60mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm
Pedal	VP-383S	MARWI SP-700	MARWI SP-700	MARWI SP-700
Seatpost	SCOTT Alloy 27.2 / 250mm	Alloy 26.8X-300mm	Alloy 26.8X-300mm	Alloy 26.8X-300mm
Seat	Syncros JR FL	Syncros JR FL	Syncros JR3.0	Syncros JR3.0
Hub front	Formula RB-31-FQR	KT-A55F / QR	KT-122FQR	KT-122FQR
Hub rear	Formula RB-32-BQR	KT-A52R / QR	KT-122RQR	KT-122RQR
Wheelset				
Chain	KMC X8	KMC Z-51	KMC Z-51	KMC Z-51
Cassette	Shimano CS-HG50-8 11-30T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T
Spokes	14G / UCP / black	14G / UCP / black	14G / UCP / black	14G / UCP / black
Rims	Alex Race-28	Alex C-1000	Alex C-1000	Alex C-1000
Tires	Kenda K-191 / 24x1 / 60TPI	Kenda K1166 / 24x1.95 / 22TPI	Kenda K1166 / 24x1.95 / 22TPI	Kenda K1166 / 24x1.95 / 22TPI

	Scale JR 20	Contessa JR 20	Voltage JR 20	Voltage Walker
NEW for MY18				NEW Frame with Footplate
Frame	Scale 20 Junior Alloy 6061 P.G. Pressed dropouts	Contessa 20 Junior Low standover height Alloy 6061 P.G.	Voltage 20 Junior Octagon tubing / Alloy 6061 P.G.	Walker 12 Junior Alloy 6061 P.G. / footplate
Travel	F/40mm	F/40mm	F/40mm	
Fork	SR Suntour XCT-JR 20 40mm travel softer spring setup	SR Suntour XCT-JR 20 40mm travel softer spring setup	SR Suntour XCT-JR 20 40mm travel softer spring setup	BMX Type / rigid Hi-ten
Headset	Femin FP-H807SCT	Femin FP-H801S	Femin FP-H801S	VP-H733
Rear Derailleur	Shimano RD-TY300 7 Speed	Shimano RD-TY300 7 Speed	Shimano RD-TY300 7 Speed	
Front Derailleur				
Shifters	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	Shimano SL-RS36-7 Revo Shifter	
Brake levers	Tektro JL-510 TS	Tektro JL-510 TS	Tektro JL-510 TS	
Brakes	Promax SCB 209 P Kids specific	Promax SCB 209 P Kids specific	Promax SCB 209 P Kids specific	
Crankset	Prowheel A105PP 36T 127mm	Prowheel A105PP 36T 127mm	Prowheel A105PP 36T 127mm	
BB-Set	Femin FP-B906SCT	Femin FP-B906SCT	Femin FP-B906SCT	
Handlebar	Junior Flat-Bar / Alloy 540mm	Junior Riser bar 540mm	Junior Riser bar 540mm	Junior Riser bar 400mm / 30mm Rise
H'stem	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	LEADTEC LCS-7126 50mm	Datong / Y2
Pedal	MARWI SP-700	MARWI SP-700	MARWI SP-700	
Seatpost	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 26.8x200mm	Alloy 25.4x200mm
Seat	Syncros JR FL	Syncros JR3.0	Syncros JR3.0	Syncros JR12 Walker
Hub front	KT-122F / Nutted	KT-122F / Nutted	KT-122F / Nutted	KT-A86F / 16H / Nutted
Hub rear	KT-122R / Nutted	KT-122R / Nutted	KT-122R / Nutted	KT-A86F / 16H / Nutted
Wheelset				
Chain	KMC Z-51	KMC Z-51	KMC Z-51	
Cassette	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	Shimano MF-TZ21 14-28T	
Spokes	14G / UCP / black	14G / UCP / black	14G / UCP / black	14G UCP / silver
Rims	Shining V-6NS	Shining V-6NS	Shining V-6NS	Alloy / black
Tires	Kenda K1166 / 20x1.95 / 22TPI	Kenda K1166 / 20x1.95 / 22TPI	Kenda K1166 / 20x1.95 / 22TPI	Wanda P-1023 / 12-1/2x2-1/4

SCOTT バイクの品質保証につきまして

ご購入いただいたSCOTTバイクの取り扱いについては、ご購入の際にSCOTTバイク正規取扱店よりお渡しする、「取扱説明書」をよくお読み下さい。
 SCOTTでは、組立完成品のバイクご購入時に、部材の欠陥や組み付け不備があった場合、弊社製フレームとスイングアームにつきましてはご購入日から最大5年間の保証（メンテナンス要件に従った場合）を設けております。この5年間の品質保証は、「取扱説明書」に記載しているメンテナンス要件に従って年1回のメンテナンスサービスが、SCOTTバイク正規取扱店で行われた場合のみ付与されます。
 ※詳しい保証内容につきましては「取扱説明書」の「保証」の項目をご覧ください。

SCOTTバイクのアフターサービスは、全てご購入いただいたSCOTTバイク正規取扱店を通じて行われます。SCOTTバイクを安全かつ快適にご使用いただくため、SCOTTバイクの正規取扱店でご購入ください。

このカタログの内容は2017年8月現在のものです。
 製品の仕様やデザイン・原産国は予告なく変更される場合があります。素材の価格変動などの諸事情により、希望小売価格が変更される場合があります。印刷上のカラーは、実際のカラーと若干異なる場合がございますのでご了承ください。

最新情報につきましてはSCOTT JAPAN ホームページをご覧ください。 株式会社スコットジャパン www.scott-japan.com

SCOTT バイク保証期間

SCOTT	通常の保証期間				
	1年	2年	3年	4年	5年
ダウンヒル・フリーライド用MTBを 除いた全バイク					
ダウンヒル・フリーライド用 フルサスペンションMTB/バイク					
Genius TC/Equalizer TC Shock					

取扱説明書で規定されているメンテナンス要件に従った場合に延長される保証期間

カタログ価格¥500（税抜）



スコットジャパン
www.scott-japan.com



スコットジャパン facebook
https://www.facebook.com/pages/
SCOTT-JAPAN/273355212699811



スコットジャパン Youtube
https://www.youtube.com/channel/
UC65QY685Wk9yjd-R1AHIH5Q

